LINEA 60

Gas ranges








Technical features


The range is made of 6 models: 4/6 burners on gaz oven, 4 burners on electric oven and 2/4/6 burners on top.
The external structure and the work top are in stainless steel. The ergonomic knobs are heat resistant .
The profile of the side panels cover fitting edgeand allign and join more than one unit.
Chimney in stainless steel.
Burners with power 2,7 kW and 3,1 kW. The taps have the safety valve with thermo-coupling for the automatic block of the gas supply .
Electric oven: multifunction with grill, with adjustable oven thermostat 0-250°
Gas oven: adjustable thermostat, electronic ignition, electric grill.

	DIMENSIONS L x P x H cm		BURNERS		POWER		WEIGHT
	EXTERNAL	OVEN	2,7 kW	3,1 kW	OVEN kW	GRILL	kg
ON OVEN							
MG066-03-010	60 x 60 x 85	42 x 42 x 31,5	• •	• •	2	1,8	60
ME066-03-010	60 x 60 x 85	42 x 42 x 31,5	• •	• •	2,5	1,8	60
MG106-03-010	100 x 60 x 85	42 x 42 x 31,5	• • •	• • •	2	1,8	85
TOP							
MG046-03-000	40 x60 x 27		•	•			22
MG066-03-000	60 x 60 x 27		• •	• •			28
MG106-03-000	100 x 60 x 27		• • •	• • •			35


LINEA 60

INSTALLATION DIAGRAM







MG066-03-010





MG106-03-010



MG106-03-010









G Attacco gas Gas connection Connexion gas Gasverbingun Conexión gas	Attacco elettrico Electrical connection Connexion électrique Stromanschluss Conexión eléctrica	Equipotenziale Equipotential Equipotentiel Potentialausgleich Equipotencial

LINEA 60


MG046-03-000






G) Attacco gas G 1/2"
Gas Connection G 1/2"
Raccord gaz G 1/2"
Gasanschluß G 1/2"
Toma de gas G 1/2"

MG066-03-000





All the information in this document is not binding. Eurotec div. Dexion reserves the right to make changes without notice